



19 OUTDOOR LIGHTING




OUTDOOR LIGHTING



CERTAFLUX
LED SYSTEMS



Innovation-Performance-Design-Connected-Clever-Fun



CERTAFLUX
LED SYSTEMS



LUTEC a global & major player in the field of qualitative outdoor lighting.

5

Architectural

Tradition

Solar

Security &
Worklight

Functional

Activity segments



Architectural



A

Architectural

ARCHITECTURE applies to all the lighting installations for homes, terraces and gardens.

Some products are unique, some are designed as a series. The Points to consider are multiple. Each lamp has two lives, one during the day, the other at night.

The first impact is decorative, whether we like it. The second is what we expect and are looking for in terms of light effect.

Wall
Ceiling
Bollards

ARCHITECTURAL

WALL



61445-1 MINI LEDSPOT / P2



61445-2 MINI LEDSPOT / P2



61445-1-PIR
MINI LEDSPOT / P4



61445-2-PIR
MINI LEDSPOT / P4



25215 ANDA / P22



61635 MERIDIAN / P26



61635-PIR
MERIDIAN / P26

NEW



6163 MERIDIAN / P26



18775 CONE / P30



2251M SPRIL / P38



1880S GHOST / P42



1880L GHOST / P42



1881S GHOST / P42



2256S GHOST / P44



ST033071-PIR
FACE / P54

NEW



1894 EVEN / P56



1899 SECO / P58



1849 ORIGO / P60



1846 BOX CUBE / P62



1896 TONA / P72



1896-PIR TONA / P72



1860 EYES / P74



1860L EYES / P74



1861 EYES / P76



6144-1 LEDSPOT / P6



6144-2 LEDSPOT / P6



6141-1 CYLIN / P12



6260 TRUMPET / P16



6160 EGGO / P18



1876S CONE / P32



1876 CONE / P32



2253S SPRIL / P36



2251S SPRIL / P36



2253M SPRIL / P38



6166 ARMOR / P48



ST031051 FLAT / P50



ST5001 SLIM / P52



ST5001-PIR SLIM / P52



ST033071 FACE / P54



1843 BOX CUBE / P62



1853 CLIP / P64



1836 CITY / P66



1838S DELTA / P68



1895 ZERTA / P70



1868 EYES / P76



1865 RADIUS / P78



1866 RADIUS / P78



1882 SANDWY / P80



1871 MASK / P82

ARCHITECTURAL



1872 MASK / P82



1869 PILO / P84



1862 EVANS / P86



1863 EVANS / P86



1879 SPLIT / P88



ST5215 TUBE / P94



ST5212 CRYSTAL / P96



ST5216 CRYSTAL / P96



NEW

ST5108 LUCA / P98



NEW

ST033023 LUCA / P98



NEW

ST6058-PIR PATH / P104



6041 FOCUS / P106



6040 FOCUS / P106



6051 FOCUS / P110



6050 FOCUS / P110



6042 FOCUS / P108

BOLLARD



61465-1 MINI LEDSPOT / P8



61465-2 MINI LEDSPOT / P8



6146-2 LEDSPOT / P10



61645 MERIDIAN / P28



6164 MERIDIAN / P28



11876N3 CONE / P34



21876N3 CONE / P34



22525 SPRIL / P40



18915 GEMINI / P90



1891M GEMINI / P90



18905 GEMINI / P92



1890M GEMINI / P92



ST5214 TUBE / P94



ST5218 BILAYER / P100



ST5219 BILAYER / P100



ST6057 PATH / P102



ST6057-PIR PATH / P102



ST6058 PATH / P104



ST6041 FOCUS / P112



ST6040 FOCUS / P112



ST6051 FOCUS / P114



ST6050 FOCUS / P114

CEILING



6142-1 CYLIN / P14



6142-2 CYLIN / P14



6261A TRUMPET / P16



6161 EGGO / P20



25225 ANDA / P24



2252M SPRIL / P40



22575 GHOST / P46



6167 ARMOR / P48



ST031052-450
FLAT / P50



6048 FOCUS / P108



MINI LEDSPOT

wall

One or two light head versions, the lights heads can rotate 320° and will give you a perfect solutions as a spotlight or wall washer, it will create the desired ambiance



61445-1 gr
61445-1 si

CLASS I CE
IP65
LED 9W
605 Lumen
Die Cast Aluminium

A+



61445-2 gr
61445-2 si

CLASS I CE
IP65
LED 18W
1210 Lumen
Die Cast Aluminium

A+





MINI LEDSPOT

wall sensor



Exocentric led spot, one or two heads, with a double movement, rotation & inclination




Adjust PIR motion sensor with a 150° detection area



61445-1-PIR gr

CLASS I CE
IP54
LED 9W
605 Lumen
Die Cast Aluminium


A+



61445-2-PIR gr

CLASS I CE
IP54
LED 18W
1210 Lumen
Die Cast Aluminium

A+





LEDSPOT

wall

Spectacular lighting fixture assuring a very powerful and adjustable light beam. The ideal product for multiple professional applications



6144-1 gr

CLASS I CE
IP65
LED 25W
2700 Lumen
Die Cast Aluminium

A+



6144-2 gr

CLASS I CE
IP65
LED 50W
5400 Lumen
Die Cast Aluminium

A+





MINI LEDSPOT

bollard


This bollard is the perfect companion to light the pathways & terraces in your garden. The multidirectional heads will always direct the LED light to the desired spot.



61465-1-526 gr

CLASS I CE
IP65
LED 9W
605 Lumen
Die Cast Aluminium


A*



61465-2-616 gr

CLASS I CE
IP65
LED 18W
1210 Lumen
Die Cast Aluminium

A*





 CERTAFLUX
LED SYSTEMS

LEDSPOT

bollard

Robust bollard in heavy duty die-cast aluminium, with two adjustable spot heads, brings you a sea of powerful LED light on your driveway and along your pathway.



6146-2 gr

CLASS I - CE

IP65

LED 50W

5400 Lumen

Die Cast Aluminium

A+





CYLIN

wall

Atypical wall light, with one or two slim & adjustable spot heads, fully integrated in the cylindrical design. Can be used perfectly as a wall washer with



6141-1 gr

CLASS II  

IP54


LED 9W

500 Lumen

Die Cast Aluminium

A*





CYLIN

bollard

3 sizes with a single or double spot head offering a solution for every project along your pathway and terrace or to light a large ground surface. Shows a strong architectural look in a multiple aligned installation.



6142-1 gr

CLASS II  CE
IP54
LED 9W
500 Lumen
Die Cast Aluminium

A*



6142-1-000



6142-1-050

6142-2 gr

CLASS II  CE
IP54
LED 19W
1000 Lumen
Die Cast Aluminium

A*



6142-2-730



6142-2-1100





EGGO

wall

Wall light with the spot head rotating over a 100°. The multicolour feature gives this article a playful look. As an indirect light the metallic paint will function as a perfect reflector.



6160 gr

CLASS II  CE

IP54

LED 9W 

350 Lumen

Die Cast Aluminium

A+





EGGO

bollard

The tubular post comes in 3 dividable parts, and gives you the opportunity to mount the article as a pedestal, a medium or high post, following the light effect you want to give in your garden.



6161-1180 gr

CLASS II  CE

IP54

LED 9W

350 Lumen

Die Cast Aluminium

A+





ANDA

wall

Wall light with a 1000 lumen light output, can be mounted at a certain height in order to illuminate a large area.



25215 gr

CLASS I CE

IP54


LED 18W

1040 Lumen

Die Cast Aluminium

A+





ANDA

bollard

Elegant but robust bollard which integrates well in your garden layout in a multi-installation format. The powerful light output will give a strong light but will not dazzle people passing by.



25225-800 gr

CLASS I CE

IP65

LED 18W

1040 Lumen

Die Cast Aluminium

A+





MERIDIAN

wall



Elegant combination of anthracite grey aluminium body and opal white polycarbonate diffuser. Wall light in medium & small sizes gives a strong diffused light and a design statement in your garden.



61635-3K gr

CLASS I CE
IP54
LED 14W
800 Lumen
Die Cast Aluminium


A+



61635-PIR-3K gr

CLASS I CE
IP54
LED 14W
800 Lumen
Die Cast Aluminium

A+



6163 gr

CLASS I CE
IP65
LED 22W
1300 Lumen
Die Cast Aluminium

A+







MERIDIAN

bollard

Bollard at a perfect height which gives your pathway, terrace and garden the desired atmosphere at night without any glare. The strength of the light beam can also be chosen.



61645-730-3K gr

CLASS | CE
IP54
LED 14W
800 Lumen
Die Cast Aluminium

A+



6164-730 gr

CLASS | CE
IP65
LED 22W
1300 Lumen
Die Cast Aluminium

A+





CONE

wall

Down light with an upward glow effect, combines a functional wall light with a decorative extra.



18775 gr

CLASS I - CE

IP54

LED 9W

50 Lumen(up)


300 Lumen (down)

Die Cast Aluminium

A+





 **CERTAFLUX**
LED SYSTEMS

CONE

wall

Straightforward design yet solid in function offering a gentle glow. Comes also in a medium size with a more powerful light output.



18765 gr

CLASS | CE
IP54
LED 4W
260 Lumen
Die Cast Aluminium

A+



1876 gr

CLASS | CE
IP54
LED 12W
780 Lumen
Die Cast Aluminium

A+





CONE

bollard


Easy to install on different surfaces. These single or double headed bollards will put your garden in a sea of light.



11876N3-800 gr

CLASS I CE
IP54
LED 12W
780 Lumen
Die Cast Aluminium


A*



21876N3-800 gr

CLASS I CE
IP54
LED 24W
1560 Lumen
Die Cast Aluminium

A*





SPRIL

wall

Wall lantern giving a very wide beam of homogenous light without any glare. The circular wall washer version creates a magical lighteffect.



22535 gr

CLASS II CE
IP54
LED 8.4W
310 Lumen
Die Cast Aluminium

A+



22515 gr

CLASS I CE
IP54
LED 8.4W
310 Lumen
Die Cast Aluminium

A+





SPRIL

wall

Wall lantern giving a very wide beam of homogenous light without any glare. The ideal partner for your professional projects.



2253M gr

CLASS I CE
IP54
LED 22W
1030 Lumen
Die Cast Aluminium

A+



2251M gr

CLASS I CE
IP54
LED 22W
1030 Lumen
Die Cast Aluminium

A+





SPRIL

bollard

This series of bollards will make a style statement in your garden, combined with great functionality.



2252S-650 gr

CLASS I $\text{\textcircled{CE}}$
IP54
LED 8.4W
310 Lumen
Die Cast Aluminium

A⁺



2252M-950 gr

CLASS I $\text{\textcircled{CE}}$
IP54
LED 22W
1030 Lumen
Die Cast Aluminium

A⁺





 **CERTAFLUX**
LED SYSTEMS

GHOST

wall

Very sleek oval design which discretely gives an indirect light, resulting in a distinctive beam pattern.



CERTAFLUX
LED SYSTEMS

18815 gr

CLASS I CE
IP54
LED 11W
700 Lumen
Die Cast Aluminium

A+



1880L gr

CLASS I CE
IP54
LED 34W
2000 Lumen
Die Cast Aluminium

A+



18805 gr

CLASS I CE
IP54
LED 7W
360 Lumen
Die Cast Aluminium

A+





GHOST

wall

Complete round flat shape, radiating a powerful LED light over a wide area.



CERTAFLUX
LED SYSTEMS

22565 gr

CLASS I CE

IP54

LED 18W


1040 Lumen

Die Cast Aluminium

A+





 **CERTAFLUX**
LED SYSTEMS

GHOST

bollard

Bollard version with the same round & flat shape, visitors will not be blinded but perfectly guided on your pathway.



22575-800 gr

CLASS | CE


IP54

LED 18W

1040 Lumen

Die Cast Aluminium

A+





ARMOR

wall & bollard


Cube wall & bollard light with 4 die-cast aluminium corners, protecting the opal polycarbonate diffuser, but also giving a subtle design character.



6166-3K gr

CLASS I CE
IP54
LED 11W
560 Lumen
Die Cast Aluminium


A+



6167-600-3K gr

CLASS I CE
IP54
LED 11W
560 Lumen
Die Cast Aluminium

A+





FLAT

wall & bollard

Very easy to install, first mount the stainless steel wall bracket or post and then just slide on the diffuser part.



ST031051-3K

CLASS I CE
IP44
LED 8W
500 Lumen
Stainless Steel

A*



ST031052-450-3K

CLASS I CE
IP44
LED 8W
400 Lumen
Stainless Steel

A*





SLIM

wall



Evergreen design. Big surface frontal diffuse warm white light in combination with backlight radiation showing a gentle glow on the wall. Discrete position of the adjustable PIR motion sensor.



ST5001

CLASS II  
 IP44
 LED 8W
 270 Lumen
 Stainless Steel

A+



ST5001-PIR

CLASS II  
 IP44
 LED 8W
 270 Lumen
 Stainless Steel

A+





FACE

wall



Robust yet elegant stainless steel wall light, big surface diffuse warm white light radiation. Discrete position of the adjustable PIR motion sensor.



ST033071-3K

CLASS II □ CE
IP44
LED 13W
800 Lumen
Stainless Steel

A*



ST033071-PIR-3K

CLASS II □ CE
IP44
LED 13W
800 Lumen
Stainless Steel

A*





EVEN

wall & ceiling

Elegant & flat design offering a strong and homogeneous diffuse warm white LED light without any shadows.




1894-3K sl

CLASS I ⚡
IP54
LED 15W
650 Lumen
Die Cast Aluminium

A+

3000K





SECO

wall

The clever designed aluminum backside of this fixture, offers an easy installation. It will result aswell in a floating effect of the diffuser versus your wall.



1899-3K gr

CLASS I · CE

IP54

LED 8W

440 Lumen

Die Cast Aluminium

A+

3000K







ORIGO

wall

Elegant & flat wall light giving a warm and gentle glow in 2 directions. Easy access to the connection and bulb compartment. Suitable for energy saving lamps up to 23W.




1849 gr

CLASS I CE
IP54
E27 Max.40W
Die Cast Aluminium





 **CERTAFLUX**
LED SYSTEMS

BOX CUBE

wall

Striking forms fit in all your contemporary garden spaces. The opal impact proof diffuser offers the perfect homogeneous light without any shadows. Elegant construction with no screws on the surface. The E27 Edison fitting is suitable for energy saving lamps up to 15W




1843 gr

CLASS I CE
IP44
E27 Max.60W
Die Cast Aluminium



1846 gr

CLASS I CE
IP44
E27 Max.60W
Die Cast Aluminium





CLIP

wall

This fixture can be seen as the glow "eye" in the dark. Elegant and smart construction will accentuate the smooth line and results in an easy mounting or lamp replacement.



1853 gr

CLASS I CE
IP44
E27 Max.60W
Die Cast Aluminium



CERTAFLUX
LED SYSTEMS



CITY

wall

Large size and robust wall light, fit to lighten large areas both in public or private places. The impact proof polycarbonate diffuser in combination with the sturdy die cast aluminum frame will make this fixture destruction proof.



1836 gr est

CLASS I CE

IP44

E27 Max.60W

Die Cast Aluminium





DELTA

wall

Scandinavian design with focus on gentle and warm glow to create the right setting during the "Nordic" nights. The transparent PC diffuser creates a stunning pattern on your wall, both in LED integrated version as in the traditional fitting execution.




18385-LED-3K gr

CLASS II  CE
IP44
LED 6W
260 Lumen
Die Cast Aluminium

A+


3000K



18385 gr

CLASS I  CE
IP44
E27 Max.60W
Die Cast Aluminium





ZERTA

wall

The almost invisible "Stealth" form of this amazing wall light, houses a super powerful LED light-engine radiating a diffuse light. Best used at a certain height to light larger surfaces.



1895-3K gr

CLASS I - CE

IP44

LED 30W


2090 Lumen

Die Cast Aluminium

A+

3000K





TONA

wall



Thanks to the die-cast aluminum frame in one single piece, the smooth and gracious line is accentuated. The white opal diffuser with concentric circles is giving the right direction to the light and showing a subtle decorative detail during the day. Comes also with a build-in & adjustable motion sensor. silver grey.



1896-PIR-3K gr

CLASS | CE
IP44
LED 9W
600 Lumen
Die Cast Aluminium

A+

3000K




1896-3K gr

CLASS | CE
IP44
LED 9W
600 Lumen
Die Cast Aluminium

A+

3000K





EYES

wall

Eye-catching "pacmann" form, radiating an indirect beam. No visible screws on the sleek surface in combination with a ribbed heath-ventilating aluminum base.



1860L gr
1860L sl

CLASS I | CE
IP54
LED 19W
780 Lumen
Die Cast Aluminium

A+



1860 gr
1860 sl

CLASS I | CE
IP54
LED 9W
370 Lumen
Die Cast Aluminium

A+



CERTAFLUX
LED SYSTEMS



 **CERTAFLUX**
LED SYSTEMS

EYES

wall

Oval form wall light, elegant, compact & simple.
Easy to install in many different applications.



1861 gr
1861 sl

CLASS I CE
IP54
LED 8.5W
310 Lumen
Die Cast Aluminium

A+




1868 gr

CLASS I CE
IP54
LED 3.9W
170 Lumen
Die Cast Aluminium

A+





 **CERTAFLUX**
LED SYSTEMS

RADIUS

wall

Round & square indirect light. The invisible LED light engine, creates a subtle light effect by the reflection on the vertically ribbed anthracite or silver grey aluminum housing.



1865 gr
1865 sl

CLASS I $\text{\textcircled{CE}}$
IP54
LED 9W
140 Lumen
Die Cast Aluminium

A*



1866 gr
1866 sl

CLASS I $\text{\textcircled{CE}}$
IP54
LED 9W
130 Lumen
Die Cast Aluminium

A*





CERTAFLUX
LED SYSTEMS

SANDWY

wall

The double light effect in the front and downwards, creating a nice beam pattern and a subtle decorative accent. The one piece die cast aluminum frame creates a sleek & elegant look.



1882 gr

CLASS | CE

IP44

LED 9W

324 Lumen

Die Cast Aluminium

A+



CERTAFLUX
LED SYSTEMS



MASK

wall

Super original interpretation of a highly efficient wall washer. No visible screws on the sleek surface. Very easy mounting with a built-in water level in order to install this wall light in a perfect horizontal position.



1871 gr

CLASS | CE
IP54
LED 9W
440 Lumen
Die Cast Aluminium


A+



1872 gr

CLASS | CE
IP54
LED 12W
540 Lumen
Die Cast Aluminium

A+



CERTAFLUX
LED SYSTEMS



PILO

wall

Unique design radiating a glow in 4 directions, giving a distinctive light effect on your outdoor walls. Ingenious construction without any screws: the frontal aluminum cover is fixed in the right position thanks to a magnet.



1869 gr

CLASS I CE

IP54

LED 11W

760 Lumen

Die Cast Aluminium

A+



CERTAFLUX
LED SYSTEMS



EVANS

wall

This minimalistic aluminum wall light shows a visual striking effect thanks to the use of a narrow beam lenses. The square execution radiates 4 perfect "laser" beams on your wall.



1862-82 gr

CLASS I CE
IP54
LED 6W
N:55 Lumen
W:57 Lumen
Die Cast Aluminium

A+




1863 gr

CLASS I CE
IP54
LED 10W
N:165 Lumen
W:57 Lumen
Die Cast Aluminium

A+





SPLIT

wall

With this elegant up & down wall light your garden will get a modern look. The distinctive ribs are showing a nice decorative detail but also suits the heat ventilation which results in a longer lifetime for the LED module. CLASS II construction makes this article safer and also suitable to use in wet indoor places like bathrooms.



1879 gr

CLASS II  CE


IP44

LED 9W


480 Lumen

Die Cast Aluminium

A+





 **CERTAFLUX**
LED SYSTEMS

GEMINI

wall

Minimalistic design but great in light output. This elegant "brick" light in anthracite aluminum radiates a perfect bi-directional beam. The medium version is very convenient for an installation on a certain height. Thanks to the light output of more than 1200 lumen, the light beam will cover the full surface in the two directions.



1891M gr

CLASS I CE
IP54
LED 20W
1230 Lumen
Die Cast Aluminium


A+



1891S gr

CLASS I CE
IP54
LED 9W
480 Lumen
Die Cast Aluminium

A+




ST1891S

CLASS I CE
IP54
LED 9W
480 Lumen
Stainless Steel

A+





 **CERTAFLUX**
LED SYSTEMS

GEMINI

wall

Timeless design with a touch of quality. Up & down light with brushed premium stainless-steel cover. Small size is slim and efficient, medium size is robust and powerful.



1890M

CLASS I CE
IP54
LED 24W
1240 Lumen
Stainless Steel

A+



1890S

CLASS I CE
IP54
LED 9W
500 Lumen
Stainless Steel

A+





TUBE

wall

Bi-directional orientation light giving a subtle indirect light. Best used in a multiple setting. Completely open stainless steel profile with 2 frontal light lines showing a nice detail.



ST5214-3K

CLASS I CE
IP44
LED 3.7W
120 Lumen
Stainless Steel

A+



ST5215-3K

CLASS I CE
IP44
LED 3.7W
120 Lumen
Stainless Steel

A+





CRYSTAL

wall


Combination of brushed stainless steel housing and an optical lens, resulting in a magical and perfect aligned up & down beam pattern on your wall.



ST5212-3K

CLASS I CE
IP44
LED 10W
660 Lumen
Stainless Steel


A*



ST5216-3K

CLASS I CE
IP44
LED 10W
660 Lumen
Stainless Steel

A*





LUCA

wall

Small and straightforward Up & Down light in brushed stainless steel. Limited distance from the surface. Round & square version.



ST5108-LED-3K

CLASS I CE
 IP44
 LED 18W
 1000 Lumen
 Stainless Steel



3000K




ST033023-3K

CLASS I CE
 IP44
 LED 11W
 600 Lumen
 Stainless Steel



3000K





BILAYER

wall

Elegant Up & Down wall light in premium stainless steel with nice decorative glow on both sides.
Comes in round & square version



ST5219-3K

CLASS I CE
IP44
LED-BW
520 Lumen
Stainless Steel

A+



ST5218-3K

CLASS I CE
IP44
LED-BW
520 Lumen
Stainless Steel

A+





PATH

wall

Stainless steel Up & Down light with a discrete glowing part on both sides. Comes also in PIR motion-sensor version, very elegant incorporated and with a large detection reach.



ST6057-3K

CLASS I CE
IP54
LED 15W
800 Lumen
Stainless Steel

A+

3000K




ST6057-PIR-3K

CLASS I CE
IP54
LED 16W
800 Lumen
Stainless Steel

A+

3000K





PATH

wall


Stainless steel Up & Down light with a discrete glowing part on both sides. Comes also in PIR motion-sensor version, very elegant incorporated and with a large detection reach.



ST6058-3K

CLASS I CE
IP54
LED 15W
800 Lumen
Stainless Steel


A*



ST6058-PIR-3K

CLASS I CE
IP54
LED 16W
800 Lumen
Stainless Steel

A*





FOCUS

wall

Heavy duty die-cast aluminum versions available in anthracite & silver-grey color in combination with clear glass diffusers, giving a robust construction and a perfect light radiation both functional as decorative.



6040 gr
6040 sl


CLASS I CE
IP44
GU10 2*35W
Die Cast Aluminium



6041 gr
6041 sl

CLASS I CE
IP44
GU10 35W
Die Cast Aluminium





FOCUS

ceiling & bollard

Cylindrical versions with the very typical single or double horizontal light glow. This range is equipped with a traditional GU10 fitting and are suitable for halogen bulbs as well for retrofit LED bulbs.




6042 gr
6042 si

CLASS I CE
IP44
GU10 35W
Die Cast Aluminium



6048 gr

CLASS I CE
IP44
GU10 35W
Die Cast Aluminium





FOCUS


wall

Square execution in die-cast aluminum, with an integrated LED engine comes in a downlight version and in an up & down light version.



6050 LED gr

CLASS I CE
IP44
LED 7.6W
300 Lumen
Die Cast Aluminium



6051 LED gr

CLASS I CE
IP44
LED 3.8W
150 Lumen
Die Cast Aluminium





FOCUS

wall


Round shapes in premium stainless steel showing a soft & shiny appearance. The correct position of the LED engine will guarantee the perfect light pattern for this wall washer.



ST6040 LED

CLASS I CE
IP44
LED 7.6W
280 Lumen
Stainless Steel

A+



ST6041 LED

CLASS I CE
IP44
LED 3.8W
140 Lumen
Stainless Steel

A+





FOCUS

wall

This square execution giving a more rigid and functional look. Thanks to the LED module there will be no heat issues in this flat design, resulting in a long lifetime without any issues about replacing of the light sources.



ST6050 LED

CLASS I CE
IP44
LED 7.6W
300 Lumen
Stainless Steel

A+



ST6051 LED

CLASS I CE
IP44
LED 3.8W
150 Lumen
Stainless Steel


A+





Tradition





Tradition

Revisiting the traditional lantern theme with LED integrated versions. Matching with all kind of traditional homes & surroundings: Classic, Vintage, Cottage. Invisible light sources creating a magical glow. The versions with an EDISON fitting are perfectly suitable for the newest "vintage"-LED bulbs resulting in a perfect match between new technology and authentic style.

wall
ceiling
bollards
poles

TRADITION

WALL



NEW

24015 ZOE / P116



NEW

26125 POSI / P118



2601 UNITE / P120



2601-PIR UNITE / P120



NEW

2642 CATE / P132



NEW

2592 JADE / P134

BOLLARD



2604 UNITE / P122



12603H4 UNITE / P122



NEW

12642H4 CATE / P132



NEW

32642AF4 CATE / P132



2602 UNITE / P120



26315 LADI / P124



1857 STARRY / P126



2411 HOM / P128



2502 CANDLE / P130

CERTAFLUX
LED SYSTEMS



ZOE

wall

Compact, vintage look lantern. Fits in all traditional surroundings. Incorporated LED tile radiates a gentle & warm light.



24015-3K bl

CLASS | CE

IP54

LED 9W


330 Lumen

Die Cast Aluminum

A*

3000K





POSI

wall

Evergreen 4 face traditional aluminum lantern, executed with a highly efficient and long lasting LED engine. Radiating a diffuse & cozy warm white light.



26125-3K bl

CLASS | CE

IP44

LED 9W

440 Lumen

Die Cast Aluminium

A*

3000K





UNITE

wall

Complete collection, up & down lantern, pedestal and small post all in heavy duty die-cast aluminum and a transparent impact proof polycarbonate diffusor. The warm white light gives a cozy and traditional aspect.



2601-3K bl

CLASS I CE
IP44
LED 6.5W
260 Lumen
Die Cast Aluminium

A+

3000K




2601-PIR-3K bl

CLASS I CE
IP44
LED 9W
220 Lumen
Die Cast Aluminium

A+

3000K



2602-3K bl

CLASS I CE
IP44
LED 6.5W
270 Lumen
Die Cast Aluminium

A+

3000K





UNITE

bollard

Complete collection, up & down lantern, pedestal and small post all in heavy duty die-cast aluminum and a transparent impact proof polycarbonate diffusor. The warm white light gives a cozy and traditional aspect.



2604-3K bl

CLASS I CE
IP44
LED 6.5W
260 Lumen
Die Cast Aluminium

A*



12603H4-3K bl

CLASS I CE
IP44
LED 6.5W
260 Lumen
Die Cast Aluminium

A*





LADI

wall



Smart use of the integrated LED engine in the base of this contemporary lantern. The reflection on the white diffusor in the head creates a warm white glow towards the surface where the light is needed. The fully open aluminum frame creates an imaginative effect.



26315-3K gr

CLASS I CE

IP44

LED 8W

420 Lumen

Die Cast Aluminium

A+

3000K





STARRY

wall

Cottage style rectangular wall light. With water glass. The invisible LED light source is perfectly placed to create a very charming warm white light in combination with the water drop glass.



1857-3K bl

CLASS I CE

IP54


LED-16W

600 Lumen

Die Cast Aluminium

A+

3000K





HOM

wall

Coach lantern with perfect "candle" light glow. The clear glass in combination with the LED light module offers a perfect radiation and high efficacy.



2411-3K bl

CLASS | CE

IP44

LED-16W

400 Lumen


Die Cast Aluminium

A+

3000K



1.28"

The logo for CertaFlux LED Systems features a dark blue circle with a white curved line above the text. The text "CERTAFLUX" is in a large, white, sans-serif font, and "LED SYSTEMS" is in a smaller, white, sans-serif font below it.

CERTAFLUX
LED SYSTEMS



CANDLE

wall

Straight lines integrated in a classic design. Vintage style combining traditional design elements and modern LED technology.



2502-3K gr

CLASS | CE

IP44

LED-11W

660 Lumen

Die Cast Aluminium

A+

3000K





CATE

wall & bollard

This complete family with an authentic feel will turn your garden into a cozy & warm atmosphere, while using the newest "filament" LED bubs.



2642 br

CLASS I CE
IP44
E27 Max.60W
Die Cast Aluminium



12642H4 br

CLASS I CE
IP44
E27 Max.60W
Die Cast Aluminium



32642AF4 br

CLASS I CE
IP44
3*E27 Max.60W
Die Cast Aluminium





JADE

wall

This vintage coach lantern, in combination with the newest filament LED bulbs, gives a bright & sensational light effect



2592 bl

CLASS I CE

IP44

E27 Max.60W


Die Cast Aluminum





Solar





Solar























We developed different products for different applications around solar energy, portable lights or architectural, but always with the same ease of use and implementation.

Today, as a result of continuous research, the high efficiency solar panels in combination with powerful LED modules are giving a really satisfactory level of light.

Cleverly making the most out of the available solar energy is realised by intelligent user interfaces such as 3-step dimmer, timers and PIR-sensors, resulting in more autonomy and desired light levels.

portable
integrated panel
independent panel
hybrid

SOLAR ENERGY

<p>PORTABLE</p>	 <p>P9080 TABLE CUBE / P136</p>	 <p>NEW P9080-450 TABLE CUBE / P138</p>	 <p>P9077 PADLIGHT / P140</p>	 <p>P9041 DRAGONFLY / P142</p>
 <p>61445-2-5L MINI LEDSPOT / P150</p>	 <p>P9034 ZERTA / P152</p>	 <p>P9015 BREAD / P154</p>	 <p>NEW ST9087 BUBBLE / P156</p>	 <p>NEW P9085 BRICK / P158</p>
 <p>P9011 ZETA / P166</p>	 <p>P9013 DROP / P168</p>	 <p>P9000 POLE / P170</p>	 <p>P9012 TILLY / P172</p>	<p>WALL INDEPENDENT PANEL</p>
<p>HYBRID COLLECTION</p>	 <p>P9052 SPARTA / P185</p>	 <p>P9053 GREENBALL / P186</p>	 <p>P9054 GYQ25 / P186</p>	 <p>P9036 FLAM / P188</p>
 <p>P9037-450 STACK / P194</p>	 <p>9047 HONY / P196</p>	 <p>9049 HONY LOOP / P198</p>	 <p>9048 HONY DECK / P198</p>	 <p>NEW 8012 PILLAR / P200</p>



P9003-ST
MINI BUTTERFLY / P144



P9035C BUMP / P146

WALL
INTEGRATED
PANEL



P9040 LORD / P148



61445-1-SL
MINI LEDSPOT / P150



ST9079 SOLSTEL / P160



NEW

ST9079-450
SOLSTEL / P160



NEW

P9067-PIR DISO / P162



NEW

P9067-450 DISO / P162



P9014
GHOST SOLAR / P164



P9016 SUNSHINE / P174



P9019 OPENY / P176



NEW

P9044 MATRA / P178



61015-PIR SL / P180
NEVADA



61025-PIR SL / P180
NEVADA



ST9039 KIWA / P190



ST9039-525 KIWA / P190



ST9038 MINIS / P192



ST9038-580 MINIS / P192



P9037 STACK / P194



NEW

P22825 GLOBE / P202



TABLE CUBE

portable



Handy & movable outdoor solar table light.



The 3 steps dimmer will always give you the right atmosphere in combination with a sufficient autonomy.

Comes in 3 vivid colours & a stylish silver grey.



Touchdimmer



1		4h
2		10h
3		60h
4	OFF	

Solar panel



1W polycrystal



P9080-3K sl
P9080-3K wh
P9080-3K grn
P9080-3K or

CLASS III ⚡ CE

IP44

LED 1W

1*1200mAh 3.7V Li-ion battery

100 Lumen

▲ 3000K





TABLE CUBE

portable

Bring Solar light in every corner of your garden.
Bollard easy adjustable to full & medium height.
Ground spike included.
Comes with a 3 steps dimmer.



Touchdimmer



3	100lm	4h
2	40lm	10h
1	10lm	40h
4	OFF	

Solar panel



1W polycrystal

P9080-450-3K sl

CLASS III Ⓢ CE


IP44

LED 1W

1*2200mAh 3.7V Li-ion battery

100 Lumen

3000K





PADLIGHT

portable



Compact portable solar light. The ideal companion for your outdoor journeys. Versatile with multiple positions. Can be placed on a surface, hooked or suspended.



The light panel radiates a very uniform light without any shadow.



A 3-step dimmer gives you the possibility to optimise the light output & autonomy according to your needs.



The USB cable (included) allows also to charge via an electrical network.



Touchdimmer



1	200lm	3h
2	80lm	9h
3	20lm	36h
4	OFF	

Solar panel



1W Monocrystalline



P9077 wh

P9077 gm

P9077 or

CLASS III ⚡ CE

IP44

LED 4W

1*2500mAh 3.7V Li-ion battery

200 Lumen





DRAGONFLY

portable



In the "open" position this portable solar lamp will accumulate sufficient solar energy during the daytime or alternatively be charged through a built-in USB connector and included cable.



In his closed position it will give an inviting light when it is dark.



Comes with 3 step dimmer. Available in 4 fresh colours.



Touchdimmer



1	120lm	4h
2	50lm	10h
3	10lm	40h
4	OFF	

Solar panel



200.0W polycrystal



P9041 wh

P9041 sl

P9041 gm

P9041 or

CLASS II Ⓢ CE

IP54

LED 1.2W

1*2200mAh 3.7V Li-ion battery

Synthetics

120 Lumen



4000K





MINI BUTTERFLY

portable



Clever & convenient design.



When opening the "wings" of this butterfly, the 2 solar panels can efficiently capture the sunlight and charge the batteries in 4 hours-time.



The USB cable (included) allows also to charge via an electrical network. Recharging of your mobile phone is possible via the USB port.



As stand-alone light, the torch can suspended from its hook or held using the magnet in its base.



Comes with a 3-step dimmer and available in 3 fresh colours.



Touchdimmer



1	180lm	4h
2	204lm	10h
3	189lm	40h
4	OFF	

Solar panel



2*1.2W polycrystal



P9003-ST wh

P9003-ST grn

P9003-ST or

CLASS II Ⓢ CE

IP44

LED 1.6W

1*2200mAh 3.7V Li-Ion battery

180 Lumen





BUMP

portable



Portable solar outdoor light with versatile application possibilities. Can be used as a table light, portable with the integrated handle. Unclip the handle and cord and it can be suspended.



Two charging possibilities: through separate monocrystalline solar panel providing solar energy or through the USB cable. Can also be used for recharging your mobile phone.



Touchdimmer



1	100lm	5h
2	40lm	7h
3	10lm	15h
4	OFF	

Solar panel



1.4W Monocrystalline



P9035C wh

P9035C grn

P9035C or


CLASS III CE

IP44

LED 1W

1*2200mAh 3.7V Li-ion battery

100 Lumen





LORD

integrated panel



Compact and easy to install solar wall light with integrated monocrystalline solar panel inside a circular shield.



Mount the bracket on the wall with 2 screws and then just slide the body on. No wiring, mounted in no time!



Solar panel



1.4W Monocrystalline



P9040 si


CLASS III 

IP44

LED 1W

1*2200mAh 3.7V L-Ion battery

100 Lumen





MINI LEDSPOT

integrated panel



Wall light with integrated solar panel, single and doublehead spot light versions. Both the panel and the spot heads are adjustable over a wide angle.



This will assure you an optimal solar efficiency. The bright LED spotlight can be orientated in all directions.



The 3 steps dimmer offers you the choice between bright and long-lasting light.



Dimmer



	OFF
II	100lm 6h
M	50lm 10h
L	30lm 21h

Solar panel



1.4W Monocrystalline

Dimmer



	OFF
II	200lm 6h
M	100lm 10h
L	60lm 21h

Solar panel



3.6V Monocrystalline

61445-1-SL al

CLASS III Ⓢ CE
IP44
LED 1W
1*2200mAh 3.7V Li-Ion battery
100 Lumen



61445-2-SL al

CLASS III Ⓢ CE
IP44
LED 2W
1*2200mAh 7.4V Li-Ion battery
200 Lumen





ZERTA

integrated panel



Very sleek & elegant design, almost invisible. The high capacity, perfectly integrated mono-crystalline solar panel can charge solar energy very efficiently. This energy can be used to radiate a powerful and long-lasting light during your hot summer nights.



Solar panel



3.0W Monocrystalline



P9034 si

CLASS III - CE

IP44

LED 3W

1*2200mAh 7.4V Li-ion battery

200 Lumen





BREAD

integrated panel



Compact and easy to install solar wall light.
Fits perfectly to many different outdoor styles.



The built-in motion sensor assures you a
welcoming light throughout the night.



OFF	OFF
AUTO	160 min
ON	4h

Solar panel



1W polycrystal

P9015 al

CLASS III ⚡ CE

IP44

LED 1.2W

1*2200mAh 3.7V Li-Ion battery

100 Lumen



SENSOR







BUBBLE

integrated panel




Half-globe solar light radiating a homogenous light.



The PIR motion sensor, nicely incorporated in the stainless steel ring, will capture all movement and assures a powerful light any time somebody is passing throughout the night.



Dimmer



Solar panel



1.5W polycrystal

ST9087

CLASS III Ⓢ CE

IP44


LED 2.3W

1*2200mAh 3.7V Li-ion battery

200 Lumen







BRICK

integrated panel

Minimalistic design, easy installation on all different surfaces.



Elegant built-in motion sensor with wide angle and large reach will capture every movement. Time & Light sensitivity regulation possible with levers at the inside.



OFF	OFF
AUTO	120 min
ON	2h

Solar panel



1.5W polycrystal

P9085

CLASS III Ⓢ CE
 IP44
 LED 1.5W
 1*2200mAh 3.7V Li-Ion battery
 150 Lumen
 Stainless steel



SENSOR





SOLSTEL

integrated panel



Solar wall light with an opal diffuser. Gives a powerful and diffused light throughout the night thanks to the motion sensor option.



The brushed stainless steel cover has also a bracket function: The light part can be slid into place without any tools. The house number sticker set makes the package complete.

The bollard version has the same functionalities and is easy to mount with screws or with a ground spike (included)



+ 1 · A



OFF	Solar panel
AUTO 150	1W monocrystalline
ON 2.5h	

Solar panel



1W monocrystalline



OFF	Solar panel
AUTO 140	1W monocrystalline
ON 2.5h	

Solar panel



1W monocrystalline

ST9079

CLASS III Ⓢ CE
IP44
LED 1.3W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Stainless steel



ST9079-450

CLASS III Ⓢ CE
IP44
LED 2.3W
1*1200mAh 3.7V Li-ion battery
150 Lumen
Stainless steel





DISO

integrated panel




Solar panel is perfectly integrated in the ingenious design. Ready to capture the full sunlight. Moveable head will orientate the light beam to the desired spot.



The wall version comes with a PIR motion sensor which assures you a power full light any time somebody is passing.



Bollard version mountable with screws or with included ground spike.



Solar panel



1.5W polycrystal

P9067-PIR gr

CLASS III Ⓢ CE

IP44

LED 2W

1*2200mAh 3.7V Li-Ion battery
200 Lumen



4000K



SENSOR

14 meter

120°

P9067-450 gr

CLASS III Ⓢ CE

IP44

LED 2W


1*2200mAh 3.7V Li-Ion battery
200 Lumen



4000K







GHOST SOLAR

integrated panel



Sleek and elegant design.



This wall washer with integrated solar panel and wide angle PIR motion sensor offers you a strong light when needed.



OFF	80 min
ON	2h

Solar panel



1.5W polycrystal

P9014 si

CLASS III \cup CE
 IP44
 LED 2.4W
 1*2200mAh 3.7V Li-ion battery
 260 Lumen



SENSOR





ZETA

integrated panel



This wall light offers you the complete freedom to orientate the solar panel and the light panel in the optimum direction.



In combination with the PIR motion sensors it will give a strong light to any outdoor space.



Solar panel



1.5W polycrystalline

P9011 al

CLASS III ⚡ CE

IP44

LED 2.4W

3*1800mAh 1.2V Ni-MH AA battery

200 Lumen



SENSOR



CERTAFLUX
LED SYSTEMS



DROP


integrated panel



The solar panel with the integrated spotlight recessed into its surface gives a distinctive image.



The spotlight with centrally built-in motion sensor offers you the possibility to orientate the light exactly where it is needed to give you a warm and safe welcome throughout the night.



Solar panel



2.5W polycrystalline

P9013 si

CLASS III \leftrightarrow CE
 IP44
 LED 2.3W
 1*2200mAh 3.7V Li-ion battery
 240 Lumen



SENSOR





POLE

The solar wall lights BREAD, ZETA & DROP can be mounted easily and without any tools on an independent post, creating a perfect bollard solution. The post can be screwed on a solid surface or put into the ground thanks to the included spike. The post contains 3 tubes giving the option to vary the height up to 1 meter.



P9000 si

Color: silver (si)
for
P9011
P9013
P9015





TILLY

integrated panel



A slim, futuristic design. The sleek adjustable spot heads can be orientated under the solar panel surface, giving multiple directions and powerful light beams.



In combination with the subtle and centrally positioned PIR sensor, it will detect any movement throughout the night and will illuminate any foreseen or unforeseen guest.



Solar panel



3.5W polycrystal

P9012 sl

CLASS III \oplus CE

IP44

LED 4W

1*2200mAh 3.7V Li-ion battery

420 Lumen




SENSOR





Wiring system



SUNSHINE


independent panel



This wall light offers a complete security light installation without any wiring to the electricity network. The separate adjustable solar panel with its 5 m cable can be positioned on the optimum spot to capture sunlight all day long.



Comes with an adjustable (time & distance) PIR motion sensor. The movable spot head will give more than 350 lumen.



Solar panel



1.5W polycrystal
(5 meter cable)

P9016 sl

CLASS III ⚡ CE

IP44

LED 3.2W

1*2200mAh 3.7V Li-Ion battery


360 Lumen



4000K



116°




SENSOR





Wiring system



OPENY

independent panel



Full option solar security light.



The two elegant and adjustable heads give the possibility to cover a large area.



Functions as a powerful detection light all night long and makes your outdoor space a safer place.



Solar panel



5.5W polycrystal
(5 meter cable)

P9019 wh

CLASS III \oplus CE
IP44
LED 4W
1*2200mAh 7.4V Li-ion battery
500 Lumen





NONCOB





Wiring system



MATRA

independent panel




Most powerful solar security light in our range. With a light output of more than 1000 lumen, you can create really a sea of light during the complete night. The solar panel featuring an easy wiring system to stock the wire which is not needed.



Functions as a powerful detection light all night long and makes your outdoor space a safer place.



Solar panel



5.5W polycrystal
(5 meter cable)

P9044 wh


CLASS III Ⓢ CE

IP44

LED 11W

1*2200mAh 7.4V Li-ion battery

1030 Lumen



SENSOR







SUN'CONNEX

SOLAR/HYBRID COLLECTION



SPARTA solar panel
with integrated battery



GREEN BALL connecting
the solar panel, the lamps
and optionally the transfo.
Dusk dawn sensor



The optional motion sensor
communicate with the
GREEN BALL



Plug in transfo



Fixation, pick or screw
or wall fixation



THE LAMPS



FLAM



HONY



KIWA



MINIS



STACK



DECK, LOOP & HONY

sun'connec

A Solar Energy Lighting System for Gardens and Terraces

HYBRID SYSTEM CHOOSE YOUR POWER



GREENBALL HUB
Control and connect all elements together

LED LIGHTING FIXTURES
Efficient and long lasting


PICK or SCREW
Easy installation



Flexible Installation

Thanks to the connection accessories you have the full freedom to make any desired installation.

- Plug-in transformer 6W or 12W
- 3 way connector
- 2 way connector
- 5 metre cable



Large Autonomy

Fully charged Li-ion battery 2200mAh-7.4v



1 x 100 lumen 12 hours

2 x 100 lumen 6 hours

3 x 100 lumen 4 hours

HYBRID SYSTEM

CHOOSE YOUR COMBINATION

4 Combinations

1



Connect up to 3 lamps directly to the solar panel

SOLAR ENERGY

2



Connect up to 12 lamps directly to the mains

ELECTRIC ENERGY

3



Connect up to 6 lamps to the greenball and it's dusk/dawn sensor

HYBRID SYSTEM

The system switches automatically to the mains when the batteries run out of solar energy

4



Connect up to 6 lamps to the greenball and use the motion sensor



Wireless PIR motion sensor
Moveable & adjustable
Time: 1-3-5 minutes
Distance: 5-8-12 metres

SPARTA

SUN'CONNEX

High capacity poly-crystalline solar panel. Elegant and sleek design - no visible screws or connections. Including a Li-ion rechargeable battery. The adjustable panel can be installed on a wall or on a pole. The included spike gives you another installation option.



P9052

CLASS III Ⓢ CE

IP44

12V 4W

1*2200mAh 7.4V Li-ion battery



GREEN BALL


SUN'CONNEX

The Green ball "HUB" is the dispatch centre of the system. It controls and connects all elements together. The luminaires, the solar panel, the connection to the mains adaptor and the connection with the wireless motion sensor. The built in dusk/dawn sensor controls the lamps and the power source.




P9053

CLASS III Ⓢ CE
IP44
2*12V DC input
3*12V DC output



P9054

CLASS III Ⓢ CE
IP44
4x1.5V AAA Battery





FLAM

SUN'CONNEX

A playful and colourful design giving diffused or direct light. A vibrant light animating your garden.



P9036 prp

P9036 gm


CLASS III ⚡ CE

IP44

LED 1W

Input: 12V DC

100 Lumen



2-P9036

Set:

green (gm)

purple (prp)

2 x P9036 (LIGHT)

1 x P9052 (PANEL)





KIWA

SUN'CONNEX

A playful and colourful design giving diffused or direct light. A vibrant light animating your garden.



ST9039

CLASS III Ⓢ CE
IP44
LED 1W
Input: 12V DC
Stainless Steel
100 Lumen



2-ST9039

Set
2 x ST9039 (LIGHT)
1 x P9052 (PANEL)




ST9039-S25

CLASS III Ⓢ CE
IP44
LED 1W
Input: 12V DC
Stainless Steel
100 Lumen



2-ST9039

Set
2 x ST9039-S25 (LIGHT)
1 x P9052 (PANEL)





MINIS

SUN'CONNEX

A freely moving, slim and discrete light which fits perfectly in the environment with its reflecting back. Wall and post spike version.



ST9038

CLASS III Ⓢ CE
IP44
LED 1W
Input: 12V DC
Stainless Steel
100 Lumen



2-ST9038

Set
2 x ST9038 (LIGHT)
1 x P9052 (PANEL)



ST9038-580

CLASS III Ⓢ CE
IP44
LED 1W
Input: 12V DC
Stainless Steel
100 Lumen



2-ST9038

Set
2 x ST9038-580 (LIGHT)
1 x P9052 (PANEL)





STACK

SUN'CONNEX

An efficient adjustable spotlight. Multiple heads can be clicked onto the same post offering a sea of light.



P9037

CLASS III ⚡ CE
IP44
LED 1W
Input: 12V DC
120 Lumen



2-P9037

Set
2 x ST9037 (LIGHT)
1 x P9052 (PANEL)




P9037-450

CLASS III ⚡ CE
IP44
LED 1W
Input: 12V DC
120 Lumen




2-P9037-450

Set
2 x ST9037-450 (LIGHT)
1 x P9052 (PANEL)





 **CERTAFLUX**
LED SYSTEMS



HONY

SUN'CONNEX

Crystal Light: Plays with transparency and functionality. Very elegant and directional spot head with a powerful beam.



9047

CLASS III Ⓢ CE
 IP67
 LED 1W
 Input: 12V DC
 100 Lumen





LOOP DECK & HONY DECK

SUN'CONNEX

Deck light versions, use HONEY to punctuate your terrace. HONEY LOOP version giving a nice glow in 4 directions. HONY DECK can be used as orientation light.



9049

CLASS III Ⓢ CE
IP67
LED 1W
Input: 12V DC
100 Lumen



9048

CLASS III Ⓢ CE
IP67
LED 1W
Input: 12V DC
100 Lumen



2-9048

Set
2 x 9048 (LIGHT)
1 x P9052 (PANEL)







PILLAR

SUN'CONNEX

Crystal pearl effect, will bring your garden in a magical atmosphere.

**8012-SL**

CLASS III  CE
 IP54
 LED 1,1W
 Input: 12V DC
 80 Lumen





GLOBE

SUN'CONNEX

Globe with perfect 360° light radiation.
Perfect fit in all gardens.

**P22825-SL**

CLASS III Ⓢ CE
IP54
LED 1W
Input: 12V DC
52 Lumen






S & V

Security & Work Light





S & W

Security & Work Light

SECURITY consists of a compact range focussing on safety applications. Powerful floodlights with adjustable single or multiple spot heads, enable large areas to be lit. The PIR-movement sensor equipped with multiple parameter settings enables the installation of a perfect detection system.

WORK LIGHT full range covering all lighting needs for any work shop or construction site. From small to large, from domestic to professional. We focus on easy manipulation and light efficiency and being compact when not in use.



**wall
ceiling
spike
portable
tripod**

SECURITY & WORK LIGHT

WALL



6156-PIR CORN / P204



6294-PIR PERI / P206



6322-PIR ARC / P208



6219A SHRIMP I / P210

FLOOD



8091 HAMBURG / P214



6170 NEGARA / P218



6170-PIR NEGARA / P218



6170-SP NEGARA / P218

WORKLIGHT



6297 UTIN / P226



6229 FRONT / P228



6229-800 FRONT / P228



6230 FRONT / P228

CAMERA

CAMERA



6255-CAM ESA / P238



6295-CAM PERI / P240



6324-CAM LIBRA / P242



5T1905-CAM VESTA



6219A-PIR / P210
SHRIMP I



6231-PIR / P212
SHRIMP II



P6221A-PIR / P212
SHRIMP II



61015-PIR / P216
NEVADA



61025-PIR / P216
NEVADA



61705 NEGARA / P220



61705-PIR / P220
NEGARA



61705-SP / P220
NEGARA



6226 ADO / P222



6243 ZIPO / P224



6225 COLLA / P230



6224 OWL / P232



6223 OWL / P232



6290 PERI / P234




6293 PERI / P236

NEW



5T2671-CAM / P246
ELARA





CORN

wall



Ingenious security light. The articulation possibilities over the central rotating part and the individual adjustable spot heads gives an incredible range of settings. The powerful LED source makes your outdoor areas as bright as day. The combination of the stylish cooling ribs on the back and the LED source results in a very low heat emission. This allows the floodlight to be installed under porches.



The PIR sensor is adjustable in time and distance covering a wide detection area.





ø156-PIR gr

CLASS I CE
 IP54
 LED 20W
 Die Cast Aluminum
 2100 Lumen





Quick install



PERI

wall



This new version of security floodlight combines a very powerful LED source with a double and adjustable motion sensor. The frontal sensor has a detection range of up to 20 metres. The second sensor covering the area under the floodlight detects movement close to the wall.




The electrical jack connection allows a simple and easy installation, with no tools needed. The PERI series comes in a single and double spot head version and is suitable for wall and ceiling mounting thanks to the rotating base.



6295-PIR-5K wh

CLASS I CE
IP54
LED 16W
ABS and PC
1710 Lumen

A+



SENSOR



6294-PIR-5K wh

CLASS I CE
IP54
LED 32W
ABS and PC
3280 Lumen

A+



SENSOR





ARC

wall



Elegant double head projector with fully adjustable motion sensor.



The two "wings", feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The multiple orientation possibility gives you full flexibility to cover the desired area.




6322-PIR-5k wh

CLASS I CE
IP54
LED 19W
Die Cast Aluminium
1200 Lumen



5000K





SHRIMP I

wall



Elegant yet powerful security floodlight with typical "bike lamp" design.



This series is available with or without adjustable PIR motion sensor.




6219A-PIR bl

CLASS I CE
IP54
LED 22W
Die Cast Aluminum
1380 Lumen

A*




120°




6219A bl

CLASS I CE
IP54
LED 22W
Die Cast Aluminum
1380 Lumen

A*



120°





SHRIMP II

wall



Robust execution in die-cast aluminium, American style with "Mickey" ears spot head design. Amazing light output of almost 3000 lumen will turn large outdoor spaces in a sea of light.



The adjustable PIR motion sensor detects movement up to 20 metres.



6231-PIR-5k bl

CLASS I CE
IP54
LED35W
Die Cast Aluminum
2860 Lumen

A+



P6221A-PIR23-5k bl

CLASS II CE
IP54
LED 15W
Synthetics
1360 Lumen

A+





CERTAFLUX
LED SYSTEMS



HAMBURG

spike



This LED garden spot will put all your trees, bushes and ornaments in the spotlight and create a dramatic scenery.



8091 gr

CLASS I CE

IP54

LED8W

Die Cast Aluminium

580 Lumen

A+





NEVADA

wall



Impact proof die-cast aluminium security light. The multiple rotation possibilities of the spot head and the motion sensor allows an easy and flexible installation.



61015-PIR gr

CLASS I CE
IP54
LED 24W
Die Cast Aluminum
1550 Lumen

A+



61025-PIR gr

CLASS I CE
IP54
LED 22W
Die Cast Aluminum
1520 Lumen

A+





NEGARA

wall & spike



Very classy LED floodlight in silver grey finish. The layout of the 8 powerful LEDs in the perforated aluminium reflector gives an extra design touch.



The PIR motion sensor and spike version make the series complete.



6170-PIR si

CLASS II CE
IP54
LED24W
Die-Cast Aluminum
1540 Lumen

A+




SEN-PIR



6170 si

CLASS II CE
IP54
LED 24W
Die-Cast Aluminum
1540 Lumen


A+



6170-SP si

CLASS II CE
IP54
LED 24W
Die-Cast Aluminum
1540 Lumen

A+





NEGARA


wall & spike




Small brother of the big NEGARA. Minimalistic and functional design. This LED floodlight generates a very low level of heat, allowing the installation under porches or overhanging roofs.



61705-PIR sl

CLASS I 
IP54
LED 10W
Die Cast Aluminum
860 Lumen

A+




SENKON



61705-SP sl

CLASS II 
IP54
LED 10W
Die Cast Aluminum
860 Lumen


A+



61705 sl

CLASS I 
IP54
LED 10W
Die Cast Aluminum
860 Lumen

A+





ADO

wall & portable



Compact and sleek design LED floodlight. Easy orientation and locking of the spot head thanks to 2 manual rotating buttons.



6226 gr

CLASS I CE
IP54
1 COB LED 11W
Die Cast Aluminium
900 Lumen

A+





ZIPO

wall






Professional LED flood light, comes in narrow and wide beam versions. Thanks to rotation angle of twice 90°, possibility to use as wall washer, spotlight or down lighter.




6243 N gr

CLASS I CE
IP65
1 COB LED 34W
Die Cast Aluminum
2030 Lumen



6243 W gr

CLASS I CE
IP65
1 COB LED 34W
Die Cast Aluminum
1904 Lumen





UTIN

portable



Compact portable LED work light, great look and striking colour combination. Easy to store and transport. Your perfect companion for all your DIY projects. Comes with a 1.8m cable and plug.



6297-5K ye

CLASS II CE
IP54
LED 10W
Die Cast Aluminum
850 Lumen

A+

5000K





FRONT

portable




Compact yet powerful LED work light series, featuring wall, portable and extended bar versions. A wide variety of applications in combination with a fast and easy installation and storage. The portable version of the FRONT comes with a 1.5m cable & plug.




6229 gr

CLASS I CE
IP54
1 COB LED 11W
Die Cast Aluminum
900 Lumen





6230 gr

CLASS I CE
IP65
1 COB LED 11W
Die Cast Aluminum
900 Lumen



6229-800 gr

CLASS I CE
IP54
1 COB LED 11W
Die Cast Aluminum
900 Lumen





COLLA

portable



Cleverly designed LED work light. The multiple adjustment possibilities of the support enhances a wide variety of working positions. Easy to manipulate and compact for storage or transport. Comes with a 1.8m cable and plug. The centrally placed LED produces a powerful beam of more than 1500 lumen.



6225 gr

CLASS I CE
IP54
LED-18W
Die Cast Aluminum
1800 Lumen

A+





OWL

portable

When a lot of light is needed for your DIY projects, the OWL offers you a versatile and efficient solution. The double head adjustable work light can be mounted on a separate tripod. Very convenient to light large empty rooms. Comes with a 2.0m cable & plug.




6224 gr

CLASS I CE
IP54
2 COB LED 30W
Die-Cast Aluminum
2280 Lumen

A+



4000K



6223-pole gr





PERI

portable

The Tripod floodlight re-invented. The PERI double head LED work light is really a super performer. When closed, it is easy to transport thanks to the practical handle, a 2.5 m cable wrap and its compact dimensions. The installation is both logical and fast. Thanks to the telescopic and manual lock system, you can build up in no time a stable and height-adjusted tripod. The double LED spot head adjustable works in 2 rotation axes.




6290-5K gr

CLASS II CE
IP54
LED 35W
Die Cast Aluminum
3200 Lumen

A+

5000K





PERI

portable



Portable version of the PERI range. Featuring the same 2 powerful LED spotlights. Both easy adjustable in any desired direction. Practical handle and easy wiring system for 1.5m electrical cable.




6293-5K gr

CLASS II. ⚡
IP54
LED 21W
Die Cast Aluminium
2000 Lumen

A+





S L



SECURY'LIGHT

connected camera concept

Launch of a complete new range of connected camera lights, with a focus on integrated security. Working with our own LUTEC APP running on your smartphone. This will make your outdoor life more personal, comfortable & safer.

camera light



Get live notifications from what's happening at your home. Talk to your visitors and feel secure.

You can even take a picture or record a video from wherever you are.

Listen and talk live with your visitors.





Have full control with the fully adjustable app.

Feel safe with the comfortable feeling that SECURITY'LIGHT keeps an eye on your home.

With SECURITY'LIGHT everything is under control.



You can record a video or go back in time.
And you can remotely set of an alarm buzzer.

Get an alert whenever someone approaches your home.



The light automatically jumps on where there is motion detected.

SECURITY'LIGHT will keep an eye on your home



SECURITY'LIGHT

connected camera concept

«When light meets a camera,
when light means security»



LIGHT



CAMERA



AUDIO



DETECTION

ALL CONTROLABLE IN ONE APP,
WHERE EVER, WHEN EVER.



Powerful and bright light with
the dimmable LED module



Sharp HD video recording with
wide angle light sensitive lens



Built-in noise cancelling microphone
with 2-way speaker buzzer



Infra-red motion sensor
fully adjustable in time,
distance and light mode



App with live notifications and video feed
Full control on all settings



Easy installation
WiFi connection





Pre-installation

①  • Download the APP.

② 

- Ensure SECURITYLIGHT location has good Wi-Fi reception
- Note: even small change in position can improve the reception

Set up

①  ② 

• Connect white red indicator light is flashing and after hearing "wait be configured"

③  ④  ⑤ 

Control

3 predefined presets for LOW-MEDIUM-HIGH security



CUSTOM setting will give you full control and possibility to adjust all light, video, audio & sensor parameters.

Support

Via the "support" button you can access to all further information & FAQ.





ESA

wall

Techno look projector in the SECURY'LIGHT range. Sleek design with 3 distinctive linear & diffuse beams. The automatic plug-in connection allows a simple & easy installation. Fully orientable over two axes. Up-Down & Left-Right. Comes in white & dark grey colour.



6255-CAM gr
6255-CAM wh

CLASS II 
IP54
LED 25W
Die Cast Aluminum
1530 Lumen

A+

 5000K



SENSE



CERTAFLUX
LED SYSTEMS



PERI

wall & ceiling

Rectangular floodlight in the SECURY[®]LIGHT range.
Powerful LED light beam with a nice grid patter.

The automatic plug-in connection allows a simple
& easy installation.

Fully orientable over two axes. Up-Down & Left-Right
Comes in white & dark grey colour.



6295-CAM gr

CLASS II

IP44

LED 25W

Die Cast Aluminum

2120 Lumen


A+



120°/180°







LIBRA

wall & ceiling



Double head projector in the SECURY'LIGHT range. The two "wings" feature a diffuser surface without edges, resulting in a perfectly homogeneous light beam. The automatic plug-in connection allows a simple & easy installation. The multiple orientation possibility gives you full flexibility to cover the desired area.



6324-CAM wh

CLASS II CE
 IP44
 LED 38W
 Die Cast Aluminum
 3000 Lumen





VESTA


wall



Stainless Steel wall light in the SECURY[®]LIGHT range. Elegant & sleek design with rectangular diffusor. Radiates in a warm white light without shadows. Camera, Speaker, Microphone & PIR motion sensor are fully integrated in the fixture.





ST1906-CAM

CLASS I 
 IP54
 LED 30W
 Stainless Steel
 1350 Lumen

A⁺


 3000K






ELARA

wall

Tubular stainless steel wall light in the SECURITY LIGHT range. Familiar design for entry-door application, with perfect finish and appropriate combination of the used materials.

Warm white LED light without shadows.

Camera, Speaker, Microphone & PIR motion sensor are fully integrated in the fixture.



ST2671-CAM

CLASS II

IP44

LED 18W

Stainless Steel

1000 Lumen

A+

3000K



SENSOR






 **CERTAFLUX**
LED SYSTEMS

Functional





Functional

Under FUNCTIONAL ranges, we propose a number of essential lighting fixtures with a straight forward design. Ideal complements for functional applications like corridors, staircases, hall ways, entrance paths and facades. Most of the ranges come with an impact-proof polycarbonate opal diffuser resulting in a homogenous and strong light output without shadows. The recessed ranges for wall & ground are covering all standard applications. This with multiple light source possibilities and small, medium and large sizes.

wall
ceiling
recessed wall
recessed ground

FUNCTIONAL

WALL & CEILING



3481L UBLO / P248



34815 UBLO / P250



3491L UBLO / P248



34915 UBLO / P250



3372 TITAN / P254



NEW

3361 TITAN / P256



NEW

3362 TITAN / P256



NEW

3363 TITAN / P256



3172S TITAN / P258



3342S SEINE / P262



3304 BONN / P264



ST3304 BONN / P264

RECESSED WALL



1831A VICTORIA / P266



1831B VICTORIA / P266



1831C VICTORIA / P266



1831D VICTORIA / P268

RECESSED GROUND



7005A BERLIN / P272



7005B BERLIN / P272



NEW

7042A CYDOPS / P274



7037A MERC / P276



3501L UBLO / P248



3501S UBLO / P250



3351 ORIGO / P252



3351S ORIGO / P252



3371 TITAN / P254



3174S TITAN / P258



3381 SEINE / P260



3382 SEINE / P260



3383 SEINE / P260



3341S SEINE / P262



1829 CATANIA / P268



1821D-A MONTANA / P270



1822D MONTANA / P270



7013 ARCTIC / P278



7007A LED SEATTLE / P280



7008A LED SEATTLE / P280



7008A REGINA / P282



7009A CHICAGO / P284



UBLO

wall & ceiling

Compact & elegant fixture producing a perfect uniform and homogenous warm white LED light without any shadow. Easy access to the connection part by removing click-on front plate.



3481L-3k sl



3491L-3k sl



3501L-3k sl



CLASS I CE

IP54

LED 11W


Die Cast Aluminum

570 Lumen

A+

3000K





UBLO

wall & ceiling

Large size with same design & functionalities. Double lumen output makes it very suitable for illuminating a large space.



34815-3k si



34915-3k si



35015-3k si



CLASS 1

IP54

LED 6.3W

Die Cast Aluminum

280 Lumen

A+

5000K





ORIGO

wall & ceiling

The specific positioning of the opal polycarbonate diffuser creates a very nice glow behind surrounded by circular shadow. Small & medium size versions can easily be combined in your architectural projects. Now also available in LED integrated version.



3351-3K LED gr.

CLASS I CE
IP54
LED 15W
630 Lumen
Die Cast Aluminum

A+

3000K



3351 sl 3351 gr

CLASS I CE
IP54
E27 MAX 2*60W
Die-Cast Aluminum



33515 gr

CLASS I CE
IP54
E27 MAX 60W
Die Cast Aluminum





CERTAFLUX
LED SYSTEMS

TITAN

wall & ceiling

Robust heavy duty die-cast aluminium fixture. This large model includes two traditional E27 fittings, suitable for energy saving bulbs, up to 20W, offering a very powerful light output. The soft glowing light effect behind creates an impression of floating.



3371 gr

CLASS I · CE
IP54
E27 MAX 2*60W
Die Cast Aluminum




3372 gr

CLASS I · CE
IP54
E27 MAX 2*60W
Die Cast Aluminum








TITAN

wall & ceiling

Medium sized wall & ceiling series available with 3 different decorative aluminium covers creating the desired effect for the location. With traditional Edison fitting, it is suitable for energy saving bulbs, up to 20W. Easy installation with a standard loop in loop out wiring option. Now also available in LED integrated version.



3361 si
3361 gr
CLASS I CE
IP54
E27 MAX 60W
Die Cast Aluminum



3361-3K-LED gr
CLASS I CE
IP54
LED 16W
580 Lumen
Die Cast Aluminum



3000K



3362 si
3362 gr
CLASS I CE
IP54
E27 MAX 60W
Die Cast Aluminum

3362-3K-LED gr
CLASS I CE
IP54
LED 16W
730 Lumen
Die Cast Aluminum



3000K



3363 gr
CLASS I
IP54
E27 MAX 60W
Die Cast Aluminum


3363-3K-LED gr
CLASS I CE
IP54
LED 16W
480 Lumen
Die Cast Aluminum



3000K





 **CERTAFLUX**
LED SYSTEMS

TITAN

wall & ceiling

Super compact wall & ceiling light. Ideal to use for multiple light compositions on stairways, outside walls and terraces. The integrated LED light engine radiates a gentle warm white light without any shadows. The subtle glow to the back makes it complete.



31725-3K gr

CLASS I - CE
IP54
LED 3W
145 Lumen
Die Cast Aluminum

A+

3000K



31745-3K sl 31745-3K gr

CLASS I - CE
IP54
LED 3W
145 Lumen
Die Cast Aluminum

A+

3000K





SEINE


wall & ceiling

Robust heavy duty die-cast aluminium fixture. This large model with two traditional E27 fittings, is suitable for energy saving bulbs of up to 20W offering a very powerful light output. The soft glowing light effect to the back creates a "floating" impression. Ideal for creating a safe atmosphere around your home at night.




3381 sl
3381 gr

CLASS I CE
IP54
E27 MAX 2*60W
Die Cast Aluminium




3382 sl
3382 gr

CLASS I CE
IP54
E27 MAX 2*60W
Die Cast Aluminium



3383 gr

CLASS I CE
IP54
E27 MAX 2*60W
Die Cast Aluminium



CERTAFLUX
LED SYSTEMS



SEINE

wall & ceiling

Super compact wall & ceiling light, the rectangular form can be well integrated in your modern architectural projects, especially when used in a multiple light compositions. The integrated LED light engine radiates a gentle warm white light without any shadows. The subtle glow to the back makes it complete.




33415-3K si

33415-3K gr

CLASS I CE
IP54
LED 4W
150 Lumen
Die-Cast Aluminum

A+

3000K




33425-3K si

33425-3K gr

CLASS I CE
IP54
LED 4W
180 Lumen
Die-Cast Aluminum

A+

3000K





BONN


wall & ceiling

This elegant anthracite or stainless steel wall light fits in perfectly with your contemporary outdoor surrounding. It creates a perfect bi-directional light effect on your walls. The small vertical window in the front adds to the character. The traditional E27 fitting is suitable for energy saving bulbs but also for the latest LED retro-fit bulbs.




3304 gr

CLASS I 
IP54
E27 60W
Die Cast Aluminum



ST3304

CLASS II 
IP54
E27 40W
Die Cast Aluminum





CERTAFLUX
LED SYSTEMS

VICTORIA

recessed wall

Straight forward rectangular recessed wall light. The pre-installation of the base can be done before the finish or painting of your walls. Afterwards you only need to mount one of the three desired covers to make your project complete. The IP65 rating, protection against water jets, makes this article fully compliant for public & private projects.



1831A LED gr

CLASS I CE
IP65
LED 10W
Die Cast Aluminum
250 Lumen

A+

4000K



1831B LED gr

CLASS I CE
IP65
LED 10W
Die Cast Aluminum
460 Lumen

A+

4000K



1831C LED gr

CLASS I CE
IP54
LED 10W
Die Cast Aluminum
100 Lumen

A+

4000K





SEINE

recessed wall

The invisible recessed LED light engine creates a subtle indirect light effect by reflecting on the horizontally ribbed aluminium housing. Comes in anthracite or silver grey.



1829 LED gr

CLASS I CE
IP54
LED 16W
290 Lumen
Die Cast Aluminum
A+



1831D LED gr

CLASS I CE
IP54
LED 3.5W
30 Lumen
Die Cast Aluminum
A+





CERTAFLUX
LED SYSTEMS

MONTANA

recessed wall

This rectangular wall light offers the possibility to combine a recessed version with a similar wall mounted version. The strong, efficient and long-lasting LED-engine together with the pre-mounting base option make this article the perfect solution for your professional outdoor projects.



1821D-A LED-sl

CLASS I CE
IP54
LED 14W
330 Lumen
Die Cast Aluminum
A+



1822D LED-gr

CLASS I CE
IP54
LED 14W
330 Lumen
Die Cast Aluminum
A+





BERLIN

recessed ground

Round or square stainless recessed ground spot lights creating a nice effect to guide you along your driveway, pathway or terrace. Compact in size yet solid in construction, you can drive over it with your car.



7005A/B LED



7005A/B GU10



2000kgs

7005A GU10

CLASS I CE
IP67
GU10 35W
11W CFL
Die Cast Aluminum
Stainless Steel



7005A LED

LED SW
180 Lumen

A+



7005B GU10

CLASS I CE
IP67
GU10 35W
11W CFL
Die Cast Aluminum
Stainless Steel



7005B LED

LED SW
180 Lumen

A+





CYDOPS

recessed ground


Super compact stainless steel recessed ground spot with a wide angle. High light efficiency combined with only a shallow recess needed for installation makes this built-in spot perfectly suitable for your wooden terraces.



7042A

CLASS I CE
IP67
LED 6W
500 Lumen
Stainless Steel

A+



2000kgs



MERC

recessed ground

Ground spot with stainless steel cover, available in two sizes. The adjustable lamp holder gives the possibility to adjust the narrow beam angle. With this you will be able to give your trees full attention throughout the night.



*Adjustable lampholder



*Adjustable lampholder



2000kgs

7036A LED

CLASS I CE
IP67
LED 6W
560 Lumen
Die Cast Aluminum
A+



7037A LED

CLASS I CE
IP67
LED 18W
1290 Lumen
Die Cast Aluminum
A+






ARCTIC

recessed ground

Robust, powerful recessed LED ground spot. This spot can be raised to an angle of 75°. Pick out ornaments & features in your garden with a stunning light effect.



2000kgs

7013 LED

CLASS I CE
IP67
LED 16W
950 Lumen
Die-Cast Aluminium

A+





SEATTLE

recessed ground

Super powerful LED recessed ground spot with a high light efficacy. The beam angle is adjustable from a narrow to a wide beam. This spot will put your garden in a sea of light. The loop in loop out wiring option is available.



2000kgs



*Adjustable lampholder 2.2"

7007A LED

CLASS I CE
IP67
LED 27W
1790Lumen
Die Cast Aluminum
Stainless Steel

A*



4000K



15°/60°

7008A LED

CLASS I CE
IP67
LED 37W
3950Lumen
Die Cast Aluminum
Stainless Steel

A*



4000K



24°/60°





REGINA

recessed ground


Medium sized recessed ground spot with a traditional G12 fitting suitable for high pressure HID bulbs. Comes in a narrow and wide beam versions. Easy installation with a pre-mounting base and stainless steel cover to finish. Resistant and can be used on driveways.



*Adjustable lampholder



*Adjustable lampholder




2000kgE



Anti-glare
(not suitable for LCD screens)


7008A G12 N

CLASS I CE
IP67
G12 Narrow Beam 70W
Die Cast Aluminum
Stainless Steel




7008A G12 W

CLASS I CE
IP67
G12 Wide Beam 70W
Die Cast Aluminum
Stainless Steel








CHICAGO

recessed ground

Large sized ground spot with traditional R7S fitting suitable for a linear halogen lamp. The adjustable lamp holder allows the light beam angle to be modified. Easy installation with a pre-mounting thermoplastic base.



*Adjustable lampholder




2000kgs

7009A

CLASS I CE
 IP67
 R7s Adjustable
 Reflector 150W
 Die Cast Aluminum
 Stainless Steel








Establishment:

- Al Andalus was established in 2000 as a limited partnership company to provide electrical supplying and service in the construction field in Egypt.
- A selected group of electrical engineers and admins were assigned to conduct orientation seminars after registration in few constructions companies in Egypt offering electrical supplying, engineering and services.
- Scope was expanded to include supplying , installing, engineering, and technical support for different electrical devices / equipment included but not limited lighting, wiring devices, panels, etc.
- Al Andalus become the sole agent for LARCEN and CERT-FLUX manufacturing specified for LED lighting with high quality and competitive prices
- Al Andalus get the authorized distributed for different international brands such as Schneider, Legrand, Gewiss, bticino, etc.
- Currently Al Andalus have more than 1000 clients in different constructions, commercial and industrial field.
- Al Andalus became one of the biggest distributor for Electrical Schneider during last three years in Egypt.






CERTAFLUX Outdoor Lighting




- 1) Architectural
- 2) Tradition
- 3) Solar
- 4) Security & Work light
- 5) Functional







19 OUTDOOR LIGHTING



Head Office

-  46 El Gomhorya st, first floor, apartment 1
-  Info@alandaluselectric.com
-  +202 23916177, +202 23916175
-  +2 01204312645

Show Room 1

-  El Gomhorya st, Opera Square, Down Town
-  +202 23916177, +202 23916175

Show Room 2

-  Opera Mall, Opera Square, Down Town
-  +202 23907703, +202 23902651